

REVISIONS								
LETTER	DATE	BY	ECN	DESCRIPTION				
А	1/20/2005	JEF	6157	11 1/2" WAS 10 1/2"; "5 1/2 IN" ENGRAVING WAS "5 IN"				
В	2/9/2005	JEF	6165	METRIC PIN LOCATION WAS 10 CM				



NOTES:

- DIMENSIONS ARE FOR REFERENCE ONLY
 PIN LOCATIONS ARE ±.005" [.13 mm] FROM CENTER



5	505707	SHCS 6-32 X 3/8							
4	506778	PIN D Ø3/32 X 1/2							
3	507719	RHMS 0-80 X 1/2 STN STL							
2	404558	LEVEL REWORK, CAL BEAMS						1	
1	404651	CB-100, CALIBRATION BEAM							
ITEM NO.	PART NUMBER	DESCRIPTION							
MATERIAL:	Letter Le	DESIGN	AJC	11/16/00			MAGTRO		
	-	DRAWN	JEF	09/27/04	1	PKWY, W.			
FINISH:	_	CHECKED	DG	09/27/04		14224-1322			
THIRD ANGLE PROJECTION		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES, DIAMETERS CONCENTRIC003 TIR, FACES PERPENDICULAR003 INTERPRETATION PER ASME Y14.5M-1994 REMOVE ALL BURRS AND BREAK				TITLE CB-100, CAL BEAM ASSY USED ON: - SIMILAR TO: -			
THIS DRAWING AND SPECIFICATION CONTAINS PROPRIETARY INFORMATION TO MAGTROL INC. ANY DISCLOSURE OR REPRODUCTION OF THIS DOCUMENT WITHOUT WRITTEN AUTHORIZATION FROM MAGTROL INC. IS EXPRESSLY PROHIBITED		SHARP EDGES .005/.010 X 45°, ALL INSIDE CORNERS TO BE .02 R MAX. TOLERANCES .XX -±.010 FRAC±1/64" .XXX -±.005 ANG±1° SURFACE FINISH 125 RMS MAX. U.O.S.			DWG. NO. 400100 SIZE SCALE SHEET # A 1:2 1 OF			B B	